

PREMADE CABLES – HIFI & HOME



PREMADE CABLES ▶ FOR HI-FI & HOME APPLICATION

We "live" music...

and almost all of our employees are enthusiastic musicians and music listeners. With the result that even at private get-togethers quickly heated discussions arise about sense and nonsense of some product or technical innovation. But it also is the reason why our lives are completely penetrated and influenced by music. We are very proud of the fact that products find their way into our **SOMMER CABLE** catalogue not so much because of marketing considerations, but rather based on conviction.

Stripping in the hardware store?

If you believe the promises made by several suppliers or the statements made by daydreaming HiFi-esoterics, miracles really do happen. However, this group should really be taken seriously, because without the technical know-how, the innovative ideas, and the musical experience these people have professional studio operators would still use bell wire for their 300.000 € equipment. And not even down-to-earth electrical technicians can dispute the fact that a good multipair sounds a whole lot better than the cheap cable from the hardware store.

SOMMER CABLEs can be found just about everywhere...

in hundreds of mastering studios and broadcast and TV-stations serviced by engineers, musicians, and technicians. The people who work here are in touch with music every single day and know how a piano sounds. This kind of application is a serious reference for audio cables.

When you buy a cable, go at it with a large amount of curiosity, a little skepticism, and a lot of humor. This way HiFi can be a lot of fun!



Basshorn available at
www.avantgarde-acoustic.de

HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SC-ONYX Series HI-CM06**

The **SC-ONYX 2025 MKII** is a reasonably priced cable costing little more than a "packaged add-on", but is superior in quality. It is perfect to upgrade small home and living room systems, intended for those people who still don't quite believe that a cable can upgrade the sound of a cheaper system. We try to minimize the risk of wasting money for all non-believers.

The plug connector **HICON HI-CM06** actually is quite a guy: The turned, solid pin is gold-plated and insulated with Delrim.

Dare to dream with the **SC-ONYX 2025 MKII**!

ORDER-NO.	LENGTH
ON81-0050-BL	0.50 m
ON81-0075-BL	0.75 m
ON81-0100-BL	1.00 m
ON81-0200-BL	2.00 m
ON81-0300-BL	3.00 m
ON81-0500-BL	5.00 m


APPLICATION:

- Phono and cinch cable for average demands
- For connection and upgrade of mini and small living room systems

PRODUCT ADVANTAGES:

- Warm and clean sound image at a really low price
- Plug connectors gold-plated and insulated with Delrim

"Listening pleasure
at a fair price!"
STEREO 6/2007



HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SC-SINUS CONTROL Series HI-CM12**

For HiFi and car-HiFi enthusiasts the **SC-SINUS CONTROL** has reached cult status, because you will get a cable that can compete with expensive high end cables at an extremely low price.

It beautifies already thousands of systems. It is very popular, because of its sophisticated shielding of dense copper braiding and a foil coating of aluminum-dampened polyester, this prevents almost all kinds of HF- and LF-range interference. The generous insulation made of SKIN PE provides very low capacitive values even over long distances, which are not unusual for car-HiFi systems. A control wire is guided for use with CD-players or other units. It can also be used as a phono ground wire. The plug connector **HICON HI-CM12** is gold-plated and insulated with Teflon.


ORDER-NO.	LENGTH
SSC3-0050	0.50 m
SSC3-0075	0.75 m
SSC3-0100	1.00 m
SSC3-0200	2.00 m
SSC3-0300	3.00 m
SSC3-0500	5.00 m
SSC3-0750	7.50 m
SSC3-1000	10.00 m

APPLICATION:

- Phono, cinch, and instrument cable for average to high demands
- For the connection of HiFi-systems and high quality car-HiFi-systems

PRODUCT ADVANTAGES:

- Powerful transmission of basses
- Double shielding with 100 % shielding
- Control wire included (remote control)
- Plug connector gold-plated and insulated with Teflon



HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SC-CORONA Series HI-CM13/CMA01**

The **SC-CORONA** conveys our idea of a fast, precise, and musical cable. It has a large diameter of 0.50 mm² and is well-insulated with foamed PE.

You will need this cable when your home is contaminated with electrical interference (such as CB or amateur radios, kitchen equipment with problematic power supplies, etc.), which would hardly allow listening pleasure without interference. Just then the **SC-CORONA** will go into action: With triple shielding (copper braiding with 96 % shielding + a semiconductor made of carbon), come what may, interference will not be an issue.

The plug connector **HICON HI-CM13** is gold-plated, insulated with Teflon, and has a high quality compression system. With this system the sleeve first loosens and then turned back after plugging. The pressing force will provide a perfect connection to the cinch unit socket. The counter-part is the gold-plated, angled connector **HI-CMA01**.

ORDER-NO.	LENGTH
COC2-0050	0.50 m
COC2-0075	0.75 m
COC2-0100	1.00 m
COC2-0200	2.00 m
COC2-0300	3.00 m
COC2-0450	4.50 m
COC2-0600	6.00 m
COC2-0750	7.50 m

APPLICATION:

- Phono/RCA-connection with potentially strong interference
- High end instrument cable for studio application

PRODUCT ADVANTAGES:

- Very fast, precise, and musical sound image
- Complicated double shielding (carbon shielding + copper braiding)
- Optically attractive
- Plug connectors gold-plated, Teflon-insulated, with HICON compression technology

HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SC-ALBEDO Series HI-CM05/Series NC3FX/MX-SOM**

When you can hear a pin drop you not only have excellent hearing, but also excellent HiFi-components inside your phono cabinet. We have developed the reference cable **SC-ALBEDO** for the highest demands.

The **SC-ALBEDO** especially stands out because of the 100 % dense multiple shielding and a lively, detailed rendition. The tightly stranded oxygen-free copper litz is equipped with a very effective conductor smoothing factor. It guarantees very good conductive value and corrosion protection, and also protects the copper against attacks from the softener contained in the PVC.

The insulation consists of a polypropylen mixture. The outer, tightly stranded, and tin-plated spiral shielding and the coated aluminium foil provide very good protection against HF- and LF-interference.

The **SC-ALBEDO** has very good capacitive values and a low conductor resistance, due to the dense stranding and the use of fine individual litz (0.05 mm) – as we expect from a reference cable. And the **SC-ALBEDO** – you will be delighted – is affordably priced.

We use the new high quality **HICON HI-CM05** cinch connector with Teflon insulation, a genuinely gold-plated solid pin, and a gold-plated strain relief. This connector is not easy to work with, but take the trouble it is well worth it!

Now the **SC-ALBEDO** is also available with "SATIN" XLR-connectors for balanced application, with a genuine gold-plated contact on both the male and female version. These are made by NEUTRIK especially for **SOMMER CABLE**.

APPLICATION:

- Phono/RCA und balanced XLR-connector for high quality pre- and power amplifiers, and CD-players
- As a high end microphone & instrument cable for studio application

PRODUCT ADVANTAGES:

- Very neutral, honest, and musical sound image
- Reference cable for many high end and recording studios
- Optically attractive design a British understatement
- HICON plug connector, Teflon-insulated, or gold-plated NEUTRIK XLR "SATIN"



Cinch	
ORDER-NO.	LENGTH
ALC4-0050	0.50 m
ALC4-0075	0.75 m
ALC4-0100	1.00 m
ALC4-0200	2.00 m
ALC4-0300	3.00 m
ALC4-0450	4.50 m
ALC4-0600	6.00 m

XLR	
ORDER-NO.	LENGTH
AL1B-0050	0.50 m
AL1B-0075	0.75 m
AL1B-0100	1.00 m
AL1B-0200	2.00 m
AL1B-0300	3.00 m
AL1B-0450	4.50 m
AL1B-0600	6.00 m

HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **AQUA BLUE Series HI-CM10/Series NC3FX/MX-SOM**

"It is clear as a bubbling brook and provides a consistent sound image."

That is how our testers evaluated the **AQUA BLUE**.

Our goal was to manufacture an affordable cable that not only looks good, but lets you join the world of linear studio and high end cables for little money.

The look is modest, but the workmanship is brilliant. The **AQUA BLUE** has two concentrically stranded wires, which – similar to a coax-cable – are tied in with the plus-pin. The wires, also consisting of concentrically stranded oxygen-free copper litz, were physically tuned to reflect a simple and true sound characteristic. This overall image was rounded off with 100 % shielding, consisting of a copper spiral and conductive carbon (semiconductor).

It is ideal to connect your CD-player/DAT/DVD-recorder/tuner, and amplifier. For a connection between pre- and power amplifier we recommend the balanced version with "SATIN" XLR-connectors, with turned, genuine gold-plated contacts for the male and the female version. These are especially made by NEUTRIK for **SOMMER CABLE**.

Cinch

ORDER-NO.	LENGTH
AQ8Q-0050	0.50 m
AQ8Q-0075	0.75 m
AQ8Q-0100	1.00 m
AQ8Q-0200	2.00 m
AQ8Q-0300	3.00 m
AQ8Q-0450	4.50 m
AQ8Q-0600	6.00 m

XLR

ORDER-NO.	LENGTH
AQ1B-0050	0.50 m
AQ1B-0075	0.75 m
AQ1B-0100	1.00 m
AQ1B-0200	2.00 m
AQ1B-0300	3.00 m
AQ1B-0450	4.50 m
AQ1B-0600	6.00 m

APPLICATION:

- Neutral HiFi-connection for higher demands, fits in small spaces

PRODUCT ADVANTAGES:

- Simple and honest sound image
- 100 % shielding (carbon + copper spiral)
- Very reasonably priced and optically attractive
- Plug connectors gold-plated and insulated with Teflon



HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **LUNA CLASSIQUE Series HI-CMA01 and HI-CM13**

Some HiFi-fetichists are turned on by tubes, and just for this group of customers we have designed the **LUNA CLASSIQUE** as a vintage style. It is a cable for people who prefer the warm sound image of tubes over the cool sound of transistors.

The **LUNA CLASSIQUE** is impulsive to match, with warm and soft basses and comfortable, unobtrusive high ranges. It takes the edge out of the CD-player and is the ideal connection for high quality turntables.

It has 100 % shielding (copper braiding + semiconductor), and with the large wire diameter, is also suitable for longer distances.

Ideal as a connection between CD-player/DAT/DVD-recorder/tuner/cassette player/turntable, and pre- and power amplifier combinations. We supply the **LUNA CLASSIQUE** with angled connectors **HICON HI-CMA01** and **HICON-CM13**, both with genuine gold-plating and Teflon insulation.


APPLICATION:

- Ideal connection for tube technology and components with a hard sound

PRODUCT ADVANTAGES:

- Very warm and unobtrusive sound image
- 100 % shielding (semiconductor + copper braiding)
- Very reasonably priced and optically attractive (vintage style)
- Plug connectors gold-plated and insulated with Teflon

ORDER-NO.	LENGTH
LCC2-0050	0.50 m
LCC2-0075	0.75 m
LCC2-0100	1.00 m
LCC2-0200	2.00 m
LCC2-0300	3.00 m
LCC2-0450	4.50 m
LCC2-0600	6.00 m



HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SC-STRATOS Series HI-CM09**

Honesty pays off. This becomes clear when you take a closer look at some HiFi-cables after a few years. Even on a phono cable costing 200 € the jacket will get porous, the insulation will shrink, and the copper will oxidize. No wonder, because most cables are exposed to enormous heat and aggressive fumes coming from constant exposure to "boiling transformers". These often start their attack on the phono cables after a short period of time and will change the technical and electrical values in the process.

Not so for the **SC-STRATOS**: It does not only adapt to the conditions surrounding high end HiFi-systems electrically, but also in the way of sound.

The **SC-STRATOS** sounds incredibly natural, airy, unobtrusive, and offers complete silence during musical pauses. And it is incredibly uncomplicated when it comes to its ability to adapt to audio systems made by different manufacturers.

Because of the multiple shielding (braiding + semiconductor) the **SC-STRATOS** is perfectly protected against EMI-interference. To vent the heat a special plastic fibre was added to the cross-braiding and a durable, heat-resistant jacket material was used. The copper litz has special conductor smoothing factor to increase conductivity. In turn it protects the oxygen-free litz from outside influences and oxidation. The **SC-STRATOS** was insulated with a microscopically fine PE/PP-mixture with a long life.

We use genuine gold-plated and Teflon-insulated cinch **HICON HI-CM09** connectors with a compression technique.

Cinch	
ORDER-NO.	LENGTH
ST8F-0050	0.50 m
ST8F-0075	0.75 m
ST8F-0100	1.00 m
ST8F-0200	2.00 m
ST8F-0300	3.00 m
ST8F-0450	4.50 m
ST8F-0600	6.00 m

APPLICATION:

- Phono/RCA-connection for high quality pre-/power amplifier combinations, CD- and DVD-players
- As a high end instrument cable for studio application

PRODUCT ADVANTAGES:

- Very neutral, honest, warm, and musical sound image with extremely good low ranges
- Reference cable for many high end and recording studios
- Extremely long life due to temperature-venting construction
- HICON plug connectors, gold-plated, insulated with Teflon, and compression technique

HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **SOLARA Series HI-CM11**

We put the crown on a cable already favoured by our customers for years. It's construction lets the technician heart beat faster: The silver-plated solid wire is surrounded by a high quality insulator (HD cell PE) with an astounding diameter of 1.7 mm.

The **SOLARA** has two counter-insulated copper braids with 95 % shielding, preventing almost all types of interference.

Unbeatable is the low capacitive value of only 50 pF per meter (wire/shielding).

Cables with solid wires are favoured by users who place an emphasis on fast levels, a structured space, heights as fine as a needle, and a snappy bass transmission.

The **SOLARA** is finished off with genuine gold-plated Teflon-insulated **HICON** phono plugs with a pressure clip. After plugging, the housing is screwed in slightly in a forwards direction and due to it's strong pressure, achieves a 100 % connection to your phone unit socket.

We recommend it for the connection of pre- and power amplifiers, CD- and DVD-players, and high quality analog sources (tube technology).

Cinch	
ORDER-NO.	LENGTH
SA8H-0050	0.50 m
SA8H-0075	0.75 m
SA8H-0100	1.00 m
SA8H-0200	2.00 m
SA8H-0300	3.00 m
SA8H-0500	5.00 m
SA8H-0600	6.00 m

APPLICATION:

- Phono/RCA-connection for high quality pre-/power amplifiers, CD-, and DVD-players
- Phono cable for large, performance-oriented systems requiring an especially fast signal level

PRODUCT ADVANTAGES:

- Very fast, fine sound image with beautiful crisp heights
- Typical silver cable with a cool and precise space
- Absolute reference for longer lengths
- **HICON** plug connector, completely gold-plated, insulated with Teflon, and with a compression technique



HiFi, car-HiFi + home cinema ▶ LF-phono cable ▶ **EPILOGUE Series HI-CM07 SPECIAL EDITION**

You can make a mountain out of a mole hill – and that is why we really worked up a sweat when we developed the reference cable **EPILOGUE**: After our great success of the LF-cables **SC-ALBEDO** and **SC-STRATOS**, and as requested by many purists, we came up with a product that convinced everyone that it was far superior even during testing at well known HiFi-studios than cables costing much, much more. Based on the legendary **SC-STRATOS** we embedded four wires in a jacket, so that they could be crossed over to reduce the capacitive value. Each wire has 100 % shielding due to the use of dense copper braiding and a semiconductor. For better conductivity all four wires have conductor smoothing made of carbon. The **EPILOGUE** guarantees – without longer input time – an absolutely neutral rendition and is very musical at the same time.

The **EPILOGUE** has been on the market since the end of 2002 and has even been able to convince several test publications within a short period of time. It is the absolute reference cable for the serious HiFi-dealer, who places more emphasis on linear transmission than on candy-colored high voltage cable displays. It also enhances the Skyline Studios in Düsseldorf, known around the world for high quality productions.

We recommend it for the connection of pre- and power amplifiers, to connect CD- and DVD-players, turntables, and of course for professional studio technology. Based on the low capacity of approx. 35 pF wire/wire there is almost no loss for lengths of up to 10 meters. Because of the very sophisticated workmanship and the somewhat complicated wiring, the **EPILOGUE** is currently only offered as a premade set. Special lengths are available at selected professional dealers.

The plug connector is a modified **HI-CM07-SE/ALU**, insulated with Teflon and equipped with complex shielding. Individual pieces are not available on the market. Before you buy, please make sure that your cable has actually been manufactured by our company.

The balanced version is available with "SATIN" XLR-connectors with turned, genuine gold-plated contacts for the male and female version. They are made by NEUTRIK especially for **SOMMER CABLE**.

APPLICATION:

- Connection for higher demands (pre-/power amplifier, CD-player, DVD, DAT, phono, etc.)
- Phono cable for linear systems with an especially true sound
- As a balanced high end connection in reference studios

PRODUCT ADVANTAGES:

- Very neutral, true sound, and a full sound image for perfect transmission of classical instruments
- Conservative, but attractive optics in a British tradition
- Absolute reference for almost all well-known recording and master studios
- HICON plug connectors HI-CM07-SE/ALU, gold-plated and modified with Teflon insulation and additional shielding, i.e. NEUTRIK XLR "SATIN" Series
- Extremely low capacity of 35 pF wire/wire (crossover)
- Tested on almost all well-known manufacturer's high end systems (aligned with reference systems B&W, Nautilus & Matrix Series, and STAX Headphones, Japan)

Test Report EPILOGUE in "HÖRERLEBNIS" (German Magazin) March 2004 Issue

- Some months ago the EPILOGUE by **SOMMER CABLE** became an extremely important connection between the mixing board and the analog in- and outputs on my RTW-converter system.
- Musical events are the winners when it comes to impulse speed and precision, tuning events are recorded more precisely.
- A very impressive introduction to the HiFi-market for **SOMMER CABLE**, that's for sure.
- The EPILOGUE cable in the cinch version is a real hot tip in its price bracket (starting at 303 €/stereo meter), that's a top of the range product but depends on the plugs used. The XLR-version in combination with professional equipment leaves nothing to be desired, but most likely shall be the end of a long journey for those in search of sound quality.

▶ To be found under: www.hoerlebnis.de

Test Report EPILOGUE in "BEAT" – Issue 6/2005**Result:**

The Epilogue is only suitable for absolute high-end-freaks or musicians with an unlimited budget. It is without a doubt the Rolls Royce among cables.

Evaluation: ■■■■■■

Cinch**ORDER-NO.****LENGTH****EP3F-0050**

0.50 m

EP3F-0075

0.75 m

EP3F-0100

1.00 m

EP3F-0200

2.00 m

EP3F-0300

3.00 m

EP3F-0450

4.50 m

EP3F-0600

6.00 m

XLR**ORDER-NO.****LENGTH****EP1B-0050**

0.50 m

EP1B-0075

0.75 m

EP1B-0100

1.00 m

EP1B-0200

2.00 m

EP1B-0300

3.00 m

EP1B-0450

4.50 m

EP1B-0600

6.00 m

NEUTRIK NC3MX-SOM
AND NC3FX-SOM
ESPECIALLY MADE FOR
SOMMER CABLE!

PREMADE CABLES ► HI-FI, SPEAKER CABLE

HiFi, car-HiFi + home cinema ► Speaker cable ► **SC-TRIBUN FLAT CABLE Series HI-BM01**

The cable is supposed to be flat, but not the sound! To provide a transmission free of losses is probably one of the most difficult challenges for a developer.

Modern surround systems demand an unobtrusive cable, which does not stick out of the wall-paper and can also be installed underneath the carpet. The **SC-TRIBUN** is ideal, because version 2 x 4 mm² is only 2.5 mm thick!

STEREOPLAY Magazine verified the even, authentic, and detailed sound of the **SC-TRIBUN** (see test under www.sommercable.com), and what else could be added?

We supply the **SC-TRIBUN** with gold-plated **HICON** 4 mm banana plug connectors with a double, screwed strain relief.

Special lengths available at selected professional dealers.

ORDER-NO.	LENGTH	VERSION
TNC5-225-0100	1.00 m	2 x 2.5 mm ²
TNC5-225-0250	2.50 m	2 x 2.5 mm ²
TNC5-225-0500	5.00 m	2 x 2.5 mm ²


ORDER-NO.	LENGTH	VERSION
TNC5-240-0100	1.00 m	2 x 4.0 mm ²
TNC5-240-0250	2.50 m	2 x 4.0 mm ²
TNC5-240-0500	5.00 m	2 x 4.0 mm ²
TNC5-240-0750	7.50 m	2 x 4.0 mm ²
TNC5-240-1000	10.00 m	2 x 4.0 mm ²
TNC5-240-1500	15.00 m	2 x 4.0 mm ²

APPLICATION:

- High quality connection between amplifier and speaker
- Ideal for surround systems and unobtrusive background HiFi-systems

PRODUCT ADVANTAGES:

- Very long life and a detailed sound image due to bundle stranding
- Extremely flat and designed like an ornamental molding, no danger of tripping



HiFi, car-HiFi + home cinema ► Speaker cable ► **BLUEPRINT Series HI-BM01 and HI-CTA05**

Just like a blueprint, it will reproduce exactly what the original provides. The coaxial-cable **BLUEPRINT** is structured similar to the legendary speaker cable **SC-MAGELLAN SPK**, which enjoys an excellent reputation among experts. But it is a little more densely stranded and has better insulation than the cables used for the PA-sector.

The **BLUEPRINT** represents a very reasonably priced when getting into the linear series of linear cables, i.e. it does not alter the signal, but reproduces the original to perfection. This cable is a "real" coaxial cable, i.e. not only the inside wires have a wire diameter of 2.5 mm², but also the twisted shielding (double-spiral 100 % shielding!). After the copper spiral shielding (with common 65 % shielding) is twisted, most coax-cables only have a diameter of 1.0 mm²! The **BLUEPRINT** should be used for lengths of up to 15 m on each side.

We supply the cable in two versions: With gold-plated 4 mm banana plugs and with gold-plated cable shoes made by **HICON**.

Special lengths are available at selected professional dealers.

BANANA male ↔ BANANA male, HICON


Cable shoe ↔ cable shoe, HICON

APPLICATION:

- High quality connection between amplifier and speakers

PRODUCT ADVANTAGES:

- Very neutral and authentic sound image
- Compact in diameter
- Suitable for long lengths, because of the low capacity



HiFi, car-HiFi + home cinema ▶ Speaker cable ▶ **SC-ESPRIT SILVER Series HI-CTA01 and HI-BM08**

Not all that shines is made of gold. A large number of HiFi-specialists prefer speaker cables with fine, silver-plated litz, because they have better conductive values when compared to copper.

Silver cables give the very typical sound loved by many customers. They are – when stranded properly – extremely fast, precise, transparent, and ideal to upgrade all types of audio components that sound somewhat conservative.

The **SC-ESPRIT SILVER** and the **SC-LYRIC SILVER** are especially popular for the inside wiring of speakers, because oxidation is not a problem here (silver-oxide even has better conductivity than pure silver!).

The **SC-ESPRIT SILVER** is manufactured with a gold-plated **HICON** 8 mm cable shoe, which is specially reworked, crimped, and refined with **HICON** silver solder to prevent oxidation between the copper and the gold.

The **HICON** with compression is the high quality version. When the sleeve is turned in, the pin will spread and thus guarantee a better hold inside the unit socket as well as loss-free transmission.

Special lengths are available at selected professional dealers.

HI-CTA01 – Cable shoe, 45° angled

ORDER-NO.	LENGTH	VERSION
ESC7-240-0100	1.00 m	2 x 4.0 mm ²
ESC7-240-0250	2.50 m	2 x 4.0 mm ²
ESC7-240-0500	5.00 m	2 x 4.0 mm ²
ESC7-240-0750	7.50 m	2 x 4.0 mm ²
ESC7-240-1000	10.00 m	2 x 4.0 mm ²
ESC7-240-1500	15.00 m	2 x 4.0 mm ²
ESC7-240-2000	20.00 m	2 x 4.0 mm ²

HI-BM08 – Banana plug


ORDER-NO.	LENGTH	VERSION
ESC8-240-0100	1.00 m	2 x 4.0 mm ²
ESC8-240-0250	2.50 m	2 x 4.0 mm ²
ESC8-240-0500	5.00 m	2 x 4.0 mm ²
ESC8-240-0750	7.50 m	2 x 4.0 mm ²
ESC8-240-1000	10.00 m	2 x 4.0 mm ²
ESC8-240-1500	15.00 m	2 x 4.0 mm ²
ESC8-240-2000	20.00 m	2 x 4.0 mm ²

APPLICATION:

- High quality connection between amplifier and speakers
- Ideal for the inside wiring of speaker systems

PRODUCT ADVANTAGES:

- Very fast, precise, and transparent sound image
- Ideal to upgrade conservative sounding systems
- Loss-free transmission of high ranges even over long distances
- Very long life

HiFi, car-HiFi + home cinema ▶ Speaker cable ▶ **SC-LYRIC SILVER “BRIDGE CABLE” Series HI-CTA01**

No noticeable difference when compared to the **SC-ESPRIT SILVER**, but the **SC-LYRIC SILVER** is favoured for the connection of bi-wiring bridges and for the inside wiring of speakers.

The **SC-LYRIC SILVER** is equipped with a gold-plated **HICON** 8 mm cable shoe, especially reworked, crimped, and refined with **HICON** silver solder to prevent oxidation between copper and gold.

It is also available with an open end (dipped in silver solder).

Please note that the length stated includes the plug connector.

Special lengths are available at selected professional dealers.


APPLICATION:

- To connect bi-wiring bridges
- Inside wiring of speaker systems

PRODUCT ADVANTAGES:


- Very fast, precise, and transparent sound image
- Can be used immediately without rework
- Very long life

ORDER-NO.	LENGTH	VERSION
LYC7-140-0010	0.10 m	1 x 4.0 mm ²
LYC7-140-0015	0.15 m	1 x 4.0 mm ²
LYC7-140-0020	0.20 m	1 x 4.0 mm ²
LYC7-140-0025	0.25 m	1 x 4.0 mm ²
LYC7-140-0100	1.00 m	1 x 4.0 mm ²
LYC7-140-0250	2.50 m	1 x 4.0 mm ²
LYC7-140-0500	5.00 m	1 x 4.0 mm ²



ORDER-NO.	LENGTH	VERSION
LYC7-160-0010	0.10 m	1 x 6.0 mm ²
LYC7-160-0015	0.15 m	1 x 6.0 mm ²
LYC7-160-0020	0.20 m	1 x 6.0 mm ²
LYC7-160-0025	0.25 m	1 x 6.0 mm ²
LYC7-160-0100	1.00 m	1 x 6.0 mm ²
LYC7-160-0250	2.50 m	1 x 6.0 mm ²
LYC7-160-0500	5.00 m	1 x 6.0 mm ²

ORDER-NO.	LENGTH	VERSION
LYC7-160-0010	0.10 m	1 x 6.0 mm ²
LYC7-160-0015	0.15 m	1 x 6.0 mm ²
LYC7-160-0020	0.20 m	1 x 6.0 mm ²
LYC7-160-0025	0.25 m	1 x 6.0 mm ²
LYC7-160-0100	1.00 m	1 x 6.0 mm ²
LYC7-160-0250	2.50 m	1 x 6.0 mm ²
LYC7-160-0500	5.00 m	1 x 6.0 mm ²



HiFi, car-HiFi + home cinema ▶ Speaker cable ▶ **SC-CHRONOS Series HI-CTA01**

The new **SC-CHRONOS** is designed like a candy cane. It is one of the most legendary speaker cables for HiFi-application and there is hardly anyone alive who loves his car and does not have this cable installed in it.

The twin-axial shape of the **SC-CHRONOS** offers everything that HiFi-purists like: An extremely fast impulse, a low loss in performance, and an impressive transmission of the bass ranges. Responsible is the "visible" and extremely dense stranding of the wire pairs and the fine wire structure made of oxygen-free copper litz. Those who value a design with a certain recognition can also use the **SC-CHRONOS** to connect the home entertainment system.

We manufacture the **SC-CHRONOS** with the gold-plated 8 mm cable shoe **HI-CTA01**.

Special lengths are available at selected professional dealers.

APPLICATION:

- Connection of phono and car-HiFi systems

PRODUCT ADVANTAGES:


- High flexibility and simple installation due to the twin-axial construction
- Extremely fast impulse behavior and powerful bass transmission
- Design with a high recognition value
- Protected against moisture by a sprayed on round jacket

HI-CTA01 – Cable shoe, 45° angled

ORDER-NO.	LENGTH	VERSION
CRC7-225-0100	1.00 m	2 x 2.5 mm ²
CRC7-225-0250	2.50 m	2 x 2.5 mm ²
CRC7-225-0500	5.00 m	2 x 2.5 mm ²
CRC7-225-0750	7.50 m	2 x 2.5 mm ²
CRC7-225-1000	10.00 m	2 x 2.5 mm ²

HI-CTA01 – Cable shoe, 45° angled

ORDER-NO.	LENGTH	VERSION
CRC7-240-0100	1.00 m	2 x 4.0 mm ²
CRC7-240-0250	2.50 m	2 x 4.0 mm ²
CRC7-240-0500	5.00 m	2 x 4.0 mm ²
CRC7-240-0750	7.50 m	2 x 4.0 mm ²
CRC7-240-1000	10.00 m	2 x 4.0 mm ²
CRC7-240-1500	15.00 m	2 x 4.0 mm ²
CRC7-240-2000	20.00 m	2 x 4.0 mm ²



HiFi, car-HiFi + home cinema ▶ Speaker cable ▶ **SC-AXOS Series HI-CTA01**

Like a ghost the **SC-AXOS** will transmit the signal to your system, it has a thickness of not even 2.5 mm making it one of the thinnest and most effective high end cable on the market.

A special concentric stranding technique ensures that it is also optically attractive flat belt cable stays free of losses even over long distances. The **SC-AXOS** has four wires, and thus can be used as a bi-amping or bi-wiring connection. A material compound made of oxygen-free and tin-plated copper enables separation of the high and low ranges.

The **SC-AXOS** is ideal for use as a HiFi-/speaker cable for home entertainment and as a high quality car-HiFi cable.

For the **SC-AXOS** we use **HICON HI-CTA01** 8 mm cable shoes.

APPLICATION:

- Connection for audio and car-HiFi-systems

PRODUCT ADVANTAGES:

- One of the flattest speaker cables available world wide
- Warm and natural sound image and impressive bass transmission
- Ideal cable for bi-wiring because of the material compound
- Very good electrical values due to bridge construction

Special lengths are available at selected professional dealers.

HI-CTA01

ORDER-NO.	LENGTH	VERSION
AXC7-230-0100	1.00 m	2 x 3.0 mm ²
AXC7-230-0250	2.50 m	2 x 3.0 mm ²
AXC7-230-0500	5.00 m	2 x 3.0 mm ²
AXC7-230-0750	7.50 m	2 x 3.0 mm ²
AXC7-230-1000	10.00 m	2 x 3.0 mm ²
AXC7-230-1500	15.00 m	2 x 3.0 mm ²
AXC7-230-2000	20.00 m	2 x 3.0 mm ²

HI-CTA01 Bi-Wiring

ORDER-NO.	LENGTH	VERSION
AXC7-425-0100	1.00 m	4 x 2.5 mm ²
AXC7-425-0250	2.50 m	4 x 2.5 mm ²
AXC7-425-0500	5.00 m	4 x 2.5 mm ²
AXC7-425-0750	7.50 m	4 x 2.5 mm ²
AXC7-425-1000	10.00 m	4 x 2.5 mm ²

HiFi, car-HiFi + home cinema ▶ Speaker cable ▶ **SC-ORBIT MKII Series HI-CTA01, HI-BM07 and HI-CT12**

This cable can be compared to a wallflower. The **SC-ORBIT MKII** is inconspicuous and optically no show stopper. But inspite of that it is an important part of our program. The **SC-ORBIT MKII** is one of the most sold HiFi-cables in Europe! Despite the simple twin-construction the expert will immediately notice the difference when comparing it to bulkware: Densely stranded litz made of oxygen-free copper with a purity of 99.999 %. Special concentric stranding and bundling of the super fine individual 0.07 mm litz guarantees linear and dynamic transmission. This cable – because of it's good price and rather conservative design – will knock every purist sideways!

The **SC-ORBIT MKII** is manufactured with gold-plated **HICON** 8 mm cable shoe **HI-CTA-01** or the gold-plated 4 mm screwed banana plug **HICON HI-BM07**.

Special lengths are available at selected professional dealers.



Cable shoe		
ORDER-NO.	LENGTH	VERSION
ORC7-240-0100	1.00 m	2 x 4.0 mm ²
ORC7-240-0250	2.50 m	2 x 4.0 mm ²
ORC7-240-0500	5.00 m	2 x 4.0 mm ²
ORC7-240-0750	7.50 m	2 x 4.0 mm ²
ORC7-240-1000	10.00 m	2 x 4.0 mm ²



Banana plug		
ORDER-NO.	LENGTH	VERSION
OR8V-240-0100	1.00 m	2 x 4.0 mm ²
OR8V-240-0250	2.50 m	2 x 4.0 mm ²
OR8V-240-0500	5.00 m	2 x 4.0 mm ²
OR8V-240-0750	7.50 m	2 x 4.0 mm ²
OR8V-240-1000	10.00 m	2 x 4.0 mm ²




HI-CT12		
ORDER-NO.	LENGTH	VERSION
ORC9-100-0250	2.50 m	2 x 10.0 mm ²
ORC9-100-0500	5.00 m	2 x 10.0 mm ²
ORC9-100-1000	10.00 m	2 x 10.0 mm ²
ORC9-100-1500	15.00 m	2 x 10.0 mm ²
ORC9-100-2000	20.00 m	2 x 10.0 mm ²

APPLICATION:

- High quality connection between amplifier and speakers
- Ideal for inside wiring of speaker systems

PRODUCT ADVANTAGES:

- Fast as an arrow, but very natural heights
- Neutrality and perfect dynamics
- Loss-free transmission and overall sound image even over long distances
- Very long life due to special conductor smoothing



HiFi, car HiFi + home cinema ▶ Speaker cable ▶ **SC-QUADRA BLUE Series HI-BM08***A light at the end of the tunnel...*

that is what you will see when you connect the new **SC-QUADRA BLUE** up to your reference HiFi-system.

Harmony, not only in design, but also in sound is what the **SC-QUADRA BLUE** will offer you. And that is what you have always been looking for: An absolutely linear cable tempting you to play and experiment, as a bi-amping or bi-wiring connection, or simply as a infeed cable.

We have stranded the superfine oxygen-free litz to utilize the advantages of the solid copper wires. The result is an outstanding conductivity and excellent damping values, which are especially important for longer lengths. The **SC-QUADRA BLUE** will also operate almost free of loss even when used in longer lengths.

Grant yourself and your HiFi-system one of the best and most beautiful speaker cables developed over the past ten years.

APPLICATION:

- High quality HiFi-speaker multicore for higher demands
- For the connection of bi-amping and bi-wiring components

PRODUCT ADVANTAGES:

- Extremely fast, super dynamic, and linear transmission even for longer lengths
- The absolute reference cable for high end and studio technology
- Double shielding with semiconductor made of carbon and copper braiding
- Many possibilities for connection (bi-amping, bi-wiring, twin-axial cable)
- Attractive and timeless design

HI-BM08

ORDER-NO.	LENGTH	VERSION
QBC8-280-0100	1.00 m	2 x 8.0 mm ²
QBC8-280-0250	2.50 m	2 x 8.0 mm ²
QBC8-280-0500	5.00 m	2 x 8.0 mm ²
QBC8-280-0750	7.50 m	2 x 8.0 mm ²
QBC8-280-1000	10.00 m	2 x 8.0 mm ²
QBC8-280-1500	15.00 m	2 x 8.0 mm ²
QBC8-280-2000	20.00 m	2 x 8.0 mm ²

HI-BM08 Bi-Wiring

ORDER-NO.	LENGTH	VERSION
QBC8-440-0100	1.00 m	4 x 4.0 mm ²
QBC8-440-0250	2.50 m	4 x 4.0 mm ²
QBC8-440-0500	5.00 m	4 x 4.0 mm ²
QBC8-440-0750	7.50 m	4 x 4.0 mm ²
QBC8-440-1000	10.00 m	4 x 4.0 mm ²

HiFi, car HiFi + home cinema ▶ Speaker cable ▶ **Y-CABLE FOR SUBWOOFER**

The Y-cable for the active subwoofer is a totally new connection in HiFi- technology. Some users do not have a surround output on their receiver or amplifier and have to "loop" the signal through the subwoofer.

A Y-cable splice from one cinch onto two more cinch connectors is needed for this. We use the high quality, exquisitely shielded twin cable **SC-ONYX 2025 MKII** in blue and the gold-plated high end cinch plug **HICON HI-CM12** insulated with Teflon.


APPLICATION:

- Connection of surround amplifiers or receivers to the active subwoofer

PRODUCT ADVANTAGES:

- Highly flexible with 0.10 mm individual litz made of oxygen-free copper
- Fast, impulsive transmission
- Very reasonably priced and optically attractive
- Plug connectors gold-plated with Teflon-insulation

ORDER-NO.	LENGTH
ONA5-0100	1.00 m
ONA5-0250	2.50 m
ONA5-0300	3.00 m
ONA5-0500	5.00 m
ONA5-0750	7.50 m
ONA5-1000	10.00 m
ONA5-1500	15.00 m
ONA5-2000	20.00 m



PREMADE PRODUCTS ► HIFI, ANTENNA CABLE

HiFi, car HiFi + home cinema ► Antenna cable ► **SC-ASTRAL**

SC-ASTRAL ► BASIC & LOW LOSS

Hardly anyone can believe that good antenna cables can influence your TV this much. That is why it is rather depressing to see how poor the quality of most packaged cables seem to be. The living room is often loaded with "roaming" hardware (TV, video recorder, wireless phone, computer, etc.) and more and more cables with better shielding will be necessary. The so-called "packaged cables" often only provide 65 % shielding, although the 100 % shielding as we offer on the following cables is really an absolute must!

Especially for TVs with a diagonal image size of more than 55 cm the image quality can be improved significantly with the use of our **SC-ASTRAL** cable.

The high end version **SC-ASTRAL LOW LOSS** has a damping value of 120 dB, guaranteed for years of use. It also is digitally suitable, as well as for TVs with a high resolution (**SDI/HDTV**). We supply it in two qualities:

The **SC-ASTRAL BASIC** is equipped with antenna cable **1.1/5.0 (90 dB)** and antenna plugs **ANT-M** and **ANT-F** made by **HICON**.

The **SC-ASTRAL LOW LOSS** is equipped with antenna cable **1.13/5.0 (120 dB)** and the genuine gold-plated plug connectors **HICON HI-ANCM01-WHT** and **HI-ANCF01-WHT**, or genuine gold-plated **HICON F** plug **HI-FM08**. Special lengths are available at selected professional dealers.

APPLICATION:

- High quality connection between TV, SAT-receiver, and house receiving unit

PRODUCT ADVANTAGES:

- Improved image quality
- Optimum image sharpness even for excessive lengths
- Digitally suitable (SDI/HDTV)
- Very long life due to the special carbon jacket (only version low loss)

Antenna plug ↔ Antenna socket HICON

ORDER-NO.	LENGTH	VERSION
AR9B-0100	1.00 m	1.1/5.0 (90 dB)
AR9B-0250	2.50 m	1.1/5.0 (90 dB)
AR9B-0500	5.00 m	1.1/5.0 (90 dB)
AR9B-0750	7.50 m	1.1/5.0 (90 dB)
AR9B-1000	10.00 m	1.1/5.0 (90 dB)

Antenna plug ↔ Antenna socket real gold plating HICON

ORDER-NO.	LENGTH	VERSION
AST1-0100	1.00 m	1.13/5.0 (120 dB)
AST1-0250	2.50 m	1.13/5.0 (120 dB)
AST1-0500	5.00 m	1.13/5.0 (120 dB)
AST1-0750	7.50 m	1.13/5.0 (120 dB)
AST1-1000	10.00 m	1.13/5.0 (120 dB)
AST1-1500	15.00 m	1.13/5.0 (120 dB)
AST1-2000	20.00 m	1.13/5.0 (120 dB)

F-plug ↔ F-plug real gold plating HICON

ORDER-NO.	LENGTH	VERSION
ASF1-0100	1.00 m	1.13/5.0 (120 dB)
ASF1-0250	2.50 m	1.13/5.0 (120 dB)
ASF1-0500	5.00 m	1.13/5.0 (120 dB)
ASF1-0750	7.50 m	1.13/5.0 (120 dB)
ASF1-1000	10.00 m	1.13/5.0 (120 dB)
ASF1-1500	15.00 m	1.13/5.0 (120 dB)
ASF1-2000	20.00 m	1.13/5.0 (120 dB)

PREMADE CABLE ▶ VIDEO CABLE

HiFi, car-HiFi + home cinema ▶ Scart cable ▶ **PRECISION "V" Series**

Like sand on the beach: Countless Scart connections of average quality and at low prices. And even though video signals are very sensitive to interference, many customers are satisfied with cheap products sold in supermarkets, and do not realize that they often only use 70 % of their TV's potential. An amateur can easily detect an insufficiently shielded scart cable.

SOMMER CABLE supplies a cable that not only distinguished itself through quality, but also optically. Especially the optics are increasingly important for Scart cables, because small and large home cinema centers are becoming more popular. They are now, that is in many houses the center of the living areas.

The **Precision "V"** is highly flexible, held in an unobtrusive dark grey, and the signal-carrying wires have excellent braided copper shielding. The well shaped **HICON** Scart plugs made of cast metal are genuinely gold-plated and shielded against EMI-interference.



THE APPLICATION:

- Connection of TV, beamer, DVD, video, and receiver for higher demands

PRODUCT ADVANTAGES:

- Perfect image rendition
- Plug connector gold-plated with excellent shielding against interference
- Attractive, well-shaped design

Scart male angled ↔ Scart male angled, HICON

ORDER-NO.	LENGTH
HI-SASA-0075	0.75 m
HI-SASA-0150	1.50 m
HI-SASA-0500	5.00 m
HI-SASA-1000	10.00 m

Scart male ↔ Scart male, flat cable, HICON

ORDER-NO.	LENGTH
HI-SCSC-0075	0.75 m
HI-SCSC-0150	1.50 m
HI-SCSC-0500	5.00 m
HI-SCSC-1000	10.00 m

Scart male angled ↔ 3 x Cinch male YUV, HICON

ORDER-NO.	LENGTH
HI-SACY-0150	1.50 m
HI-SACY-0500	5.00 m

Scart male angled switch in/out ↔ 1 x cinch video + 2 x cinch audio, HICON

ORDER-NO.	LENGTH
HI-SAC3-0150	1.50 m
HI-SAC3-0500	5.00 m

Scart male angled ↔ 1 x S-VHS video + 2 x cinch audio, HICON

ORDER-NO.	LENGTH
HI-SAVC-0150	1.50 m
HI-SAVC-0500	5.00 m

Scart male angled ↔ 1 x S-VHS video, HICON

ORDER-NO.	LENGTH
HI-SAVH-0150	1.50 m
HI-SAVH-0500	5.00 m



HICON
CONNECTORS

HiFi, car-HiFi + home cinema ▶ S-VHS-cable ▶ **PRECISION "V" Series**

S-VHS male ↔ S-VHS male, HICON

ORDER-NO.	LENGTH
HI-VHVH-0150	1.50 m
HI-VHVH-0300	3.00 m
HI-VHVH-0500	5.00 m
HI-VHVH-1000	10.00 m



HiFi, car-HiFi + home cinema ▶ S-VHS-cable ▶ **CINEMA-SV****AUDIO/ VIDEO/ S-VHS CABLE**

SOMMER CABLE does not sell imported bulkware made in Asia, gold-plated phono connectors with a "short", or cables where the packaging is more valuable than the cable itself, but high quality components as used in professional HiFi- and master studios.

All gold-plated plug connectors are really and truly "genuinely gold-plated". They are regularly checked for good contact properties and transmission resistance. They are manufactured with the original **SOMMER CABLES** in our technical department. We supply our cables hand-soldered with silver solder, and our plug connectors are not shrink-wrapped in plastic.

For a high quality connection of your DVD-player, TV, video recorder, camcorder, and SAT-receiver, we use gold-plated S-VHS (Hosiden) S-VHS-M connectors made by **HICON** and our black video cable **CINEMA-SV**.

S-VHS ↔ S-VHS, HICON


ORDER-NO.	LENGTH
CX60-0100	1.0 m
CX60-0250	2.5 m
CX60-0500	5.0 m
CX60-1000	10.0 m

S-VHS on Scart

For high quality connection of your DVD-player, TV, video recorder, camcorder, and SAT-receiver, we use **gold-plated S-VHS (Hosiden) connectors**, a robust metal Scart plug made by **HICON** and our video cable **CINEMA-SV**.

S-VHS ↔ SCART, HICON

ORDER-NO.	LENGTH
CX3G-0100	1.0 m
CX3G-0250	2.5 m
CX3G-0500	5.0 m
CX3G-1000	10.0 m

HiFi, car-HiFi + home cinema ▶ Monitor cable ▶ **DVI-I**


DVI (Digital Visual Interface) is the current connection standard for digital monitors and digital flat panel displays and will support analog connections (VGA-signals with DDC-support), as well as digital signals (DVI, DVI-audio, HDTV, DFP, P&D).

We supply the fully assigned 24+5 dual-link version with genuine gold-plated contacts and metal housing, which also can be used for professional digital application (high end graphic cards and monitors).

The DVI-D version 24+1 is available under "Broadcasting/Video/Media".

DVI-I 24+5 male ↔ DVI 24+5 male

ORDER-NO.	LENGTH
HI-DVDV-0150	1.5 m
HI-DVDV-0500	5.0 m
HI-DVDV-1000	10.0 m

HiFi, car-HiFi + home cinema ▶ Multimedia cable ▶ **HDMI**

HDMI (High Definition Multimedia Interfaces) is a fully digital interface, developed by the electronic sector in co-operation with the film industry. HDMI transmits digital video and multi-channel audio data free of losses and bi-directional without


data compression, via 19-pin contact plug with a band width of up to 5 GB/sec. Universal remote control for all units connected with HDMI is possible via the integrated AV.link-protocol.

HDMI male ↔ HDMI male HICON with gold-plated contacts

ORDER-NO.	LENGTH
HI-HDHD-0150	1.5 m
HI-HDHD-0500	5.0 m
HI-HDHD-1000	10.0 m
HI-HDHD-2000	20.0 m
HDMI standard cable (not shown)	
HDM1-1500	15.0 m

HDMI male ↔ DVI 18+1 male

ORDER-NO.	LENGTH
HDDV-0200	2.0 m
HDDV-0300	3.0 m
HDDV-0500	5.0 m



HiFi, car-HiFi + home cinema ▶ Video cable ▶ **RGB (YUV) COMPONENT CABLE**

A YUV-cable is also called a "color differential cable" and consists of three separate unbalanced 75 Ω cables. It is mostly used for connections in video technology (for example on "progressive scan projectors") and to connect DVD-players. The YUV-signal is stored, and it is desirable to transmit this signal to other units unchanged and free of losses. The YUV-cable is also suitable for the transmission of "progressive PAL/ NTSC" signals. For transmission in an HDTV-format the special development cable **SC-VECTOR** is recommended.

To obtain a perfect image signal a transmission length of 20 m should not be exceeded. But if this should be required, the **TRANSIT 3** is recommended. Here transmission over a length of more than 50 m is no problem.

We offer you two types of YUV-cables:

The highly flexible **TRANSIT MINI FLEX**, as a round cable with gold-plated **HICON HI-CM06** cinch plugs and Delrim insulation and the flat version **SC-ALTERA SPLIT**, manufactured with gold-plated Teflon-insulated crimp cinch plugs **HICON HI-CM01C** with cable bend protection.

The later is especially suitable for YUV-applications, because a crimping connection compared to a soldered connection, will ensure a lower contact resistance, i.e. losses at the connection between cable and plug are almost impossible. The **SC-ALTERA SPLIT** is supplied in a high quality presentation box shaped like a film box!

More RGB (YUV)-cables with VGA are available under "Braodcasting/Video/ Media".

TRANSIT MINI FLEX, 3 x cinch male ↔ 3 x cinch male, HI-CM06

ORDER-NO.	LENGTH
ML81-03-0100	1.00 m
ML81-03-0250	2.50 m
ML81-03-0500	5.00 m
ML81-03-0750	7.50 m
ML81-03-1000	10.00 m

SC-ALTERA SPLIT, 3 x cinch male ↔ 3 x cinch male, HI-CM12


ORDER-NO.	LENGTH
AE2I-0100	1.00 m
AE2I-0250	2.50 m
AE2I-0500	5.00 m
AE2I-0750	7.50 m
AE2I-1000	10.00 m
AE2I-1500	15.00 m
AE2I-2000	20.00 m

THE APPLICATION:

- Connection of DVD-players and for transmission of "progressive PAL / NTSC" signals

PRODUCT ADVANTAGE:

- Available with a round cable (**TRANSIT MINI FLEX**) and a flat cable (**SC-ALTERA SPLIT**)
- Protected by 100 % shielding (aluminum foil + copper braiding)
- Very reasonably priced and optically attractive
- Gold-plated plug connectors and Delrim or Teflon insulation

HiFi, car-HiFi + home cinema ▶ Digital LW ▶ **OPTICAL FIBRE TOSLINK**

Suitable amplifiers, adapters, and tools can be found in Chapter "Mechanics & Accessories". High quality with low damping values, suitable for lengths of 6 meters and more.

Toslink male ↔ Toslink male, Ø 5.7 mm, PUR

Special/intermediate lengths are available up to 50 m.

ORDER-NO.	LENGTH
OCZZ-0400	4.0 m
OCZZ-0800	8.0 m
OCZZ-1000	10.0 m
OCZZ-1500	15.0 m
OCZZ-2000	20.0 m

Toslink male ↔ Toslink male, HICON

ORDER-NO.	LENGTH
HI-TLTL-0050	0.50 m
HI-TLTL-0100	1.00 m
HI-TLTL-0300	3.00 m
HI-TLTL-0500	5.00 m
HI-TLTL-1000	10.00 m



HICON
CONNECTORS

HiFi, car-HiFi + home cinema ▶ **HOME CINEMA CABLE RGB (YUV), audio 5.1 and 6.1**

Longer lengths of our **TRANSIT** also offer excellent transmission quality for video and audio applications. The magazine "Video" elected the **TRANSIT 3 TS5M** RGB cable test champion.

1 3 x Cinch ↔ 3 x Cinch, HICON RGB (YUV)


ORDER-NO.	LENGTH
TS81-03-0050	0.50 m
TS81-03-0100	1.00 m
TS81-03-0200	2.00 m
TS81-03-0300	3.00 m
TS81-03-0500	5.00 m
TS81-03-0700	7.00 m
TS81-03-1000	10.00 m




The 5.1/6.1 version is usually used when decoding (channel separation) is done by the receiver, not by the DVD-player, such as is the case e.g. with high end DVD-players.

The 75 Ω cable **TRANSIT** can be used for analog and digital signals. Usually version 5.1 or 6.1 is connected to the multi-input of the digital receiver. Version 7.1 is available upon request.


We use the gold-plated **HICON HI-CM06** plug with insulation made of Delrim.


**Connection diagram
MULTI INPUT:****2 6 x Cinch ↔ 6 x Cinch, HICON 5.1**

ORDER-NO.	LENGTH
TS81-06-0050	0.50 m
TS81-06-0100	1.00 m
TS81-06-0150	1.50 m
TS81-06-0200	2.00 m
TS81-06-0250	2.50 m
TS81-06-0300	3.00 m
TS81-06-0450	4.50 m
TS81-06-0600	6.00 m
TS81-06-1000	10.00 m

**3 7 x Cinch ↔ 7 x Cinch, HICON 6.1**

ORDER-NO.	LENGTH
TS81-07-0050	0.50 m
TS81-07-0100	1.00 m
TS81-07-0150	1.50 m
TS81-07-0200	2.00 m
TS81-07-0250	2.50 m
TS81-07-0300	3.00 m
TS81-07-0450	4.50 m
TS81-07-0600	6.00 m
TS81-07-1000	10.00 m



**WALL DISPLAY 1-SIDED STAINLESS STEEL (EMPTY)**

Color: charcoal

Equipment: incl. 15 Euro blister hooks + light stick + 2 Wall plugs and screws

H x W x D (cm): 185 x 80 x 10 (size without hooks)

ORDER-NO. D1-ES**DEALER PRICE** see price list

Starting with an order amount of 1,500.- € for premade cables you will receive this display, the D3K, or the DS once only free of charge.

DISPLAY 3-SIDED STAINLESS STEEL (EMPTY)

Color: stainless steel

Equipment: incl. 45 Euro blister hooks + light stick

H x W x D (cm): 185 x 80 x 80 (size without hooks)

ORDER-NO. D3-ES**DEALER PRICE** see price list

Starting with an order amount of 2,500.- € for premade cables you will receive this display, or the D1, the D3K once only free of charge.

LIGHT STICK for display to reorder. Color: green; length 165 cm.**ORDER-NO. L-STICK165-GN****DEALER PRICE** see price list*To top it all off...*

your product presentation can be displayed on a very attractive, exquisite stainless steel designer display – a must for each exclusive **SOMMER CABLE** dealer!

We have set the order value point low enough, so even those dealers among you whose orders are not so high have a chance to enjoy this fantastic display stand. The green interior lighting provides an especially attractive flair and also is ideal for night lighting in the store.

Our TriCone plug connector was the model for the shape. This is especially apparent when you look at the "delta shape" of the large three-sided display and the triangular holes for the blister hooks.

The large display is yours one time free of charge, starting at a premade cable order value of 2.500,- €, the wall display starting at 1.500,- €. Simply state the order number below your completed order.

We hope that you enjoy it and wish you lots of success using it!




We also have a catalogue holder available to match the stainless steel display. It can simply be hooked into the triangular mounting holes provided.

CATALOGUE HOLDER, STAINLESS STEEL



Color: Stainless steel

ORDER-NO. D0-ES**DEALER PRICE** see price list



DESIGNER DISPLAY





DRUM DISPLAY

We will cut the cable...

From now on, we offer a wonderful stainless steel **drum display** unit with an optional **measuring unit** and a **cutting device**. It will not only be great for the cable, but will also enhance the showroom. The drum display can be stocked with 4 heavy cable drums on each side (i.e. a total of 8 at a max. diameter of 32 cm). The display has rubber feet that are kind to the floor and slightly greenish lighting inside.

MISTER METER and the cable cutter can be installed on a side track (optional), perfectly suitable for measuring and cutting **SOMMER CABLES**.

DRUM DISPLAY, 2-SIDED, STAINLESS STEEL (EMPTY)

Color:	stainless steel
Equipment:	incl. 4 stainless steel rods and 8 fixing pins
H x W x D (cm):	175 x 56 x 62
ORDER-NO.	D2-ES
DEALER PRICE	see price list

METER COUNTING SET FOR DISPLAY D2-ES

Equipment:	meter counter incl. mounting shaft for D2-ES
ORDER-NO.	MISTER-METER-D2
DEALER PRICE	see price list

CABLE CUTTER

ORDER-NO.	PC85
DEALER PRICE	see price list

Starting with an order amount of 2.000 € for cables you will receive display **D2-ES** or **D1-ES** once only free of charge.